4500

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road TWP Hwy 88

BeallsvilleOH 43716

Station Code: 015

Reported Date (Month Year):

September 2007

Application: 0IL00091*GD

10/19/2

Sampling Station Description:

Final

in(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample Reporting Lab: Analyst: Tra-Det Inc

in(2) - En	iter frequency of sam	npling	ר	Tra-Det Inc.		
(1)	3					
(2)	1					
	(00094) Conductivity Umho/Cm					
Day	Omnoyem			a.		
01			······································	1		
02				1		
03						
04						
05	9900					
06				,		
07						
08			(0),			
09						
10				1		
11			*	4 -> ->		
12			****	!		
13				1		
14			W	1 1		
15			- 24 - E F			
16				<u> </u>		
17		,,,				
18	0000					
19 20	9800					
20 21						
22				<u> </u>		
23						
24				,	**************************************	
25						
26						
27				i		
28				 		
29				1		
30						
31		and the state of t		!		
TOTAL	19700	0	0	0	0	0
AVG	9850					
MAX	9900					
MIN	9800	0	0	0	0	0

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

Page 2 of